

(12) **UK Patent Application** (19) **GB** (11) **2 271 348** (13) **A**

(43) Date of A Publication 13.04.1994

(21) Application No 9220804.0

(22) Date of Filing 02.10.1992

(71) Applicant(s)
Faruk Cetindamar
99 Lubbethorpe Road, LEICESTER, Leicestershire,
LE3 2XH, United Kingdom

(72) Inventor(s)
Faruk Cetindamar

(74) Agent and/or Address for Service
Faruk Cetindamar
99 Lubbethorpe Road, LEICESTER, Leicestershire,
LE3 2XH, United Kingdom

(51) INT CL⁵
A61J 11/02 9/04

(52) UK CL (Edition M)
B8T TWG T16A
U1S S1103 S1294


(56) Documents Cited
GB 2250017 A GB 1250518 A US 4828126 A
US 4730744 A US 4505398 A US 4311245 A

(58) Field of Search
UK CL (Edition K) B8T TWG
INT CL⁵ A61J 9/04 11/02

(54) **Venting babies feeding bottles**

(57) A babies feeding/drinking bottle has a valve 4 for letting air into the bottle while the baby is sucking the contents of the bottle 1. The valve 4 may be provided in the teat (Figure 3), the base of the bottle (Figure 1) or the collar 2 which secures the teat to the bottle. The valve may be a separate part fixed permanently or temporarily in position or it may be formed with its associated teat, collar or bottle or as part of an attachment for the teat, collar or bottle.

FIG. 2



GB 2 271 348 A

1/1

FIG. 1




FIG. 2





FIG. 3



***BABIES FEEDING/DRINKING BOTTLE**

This invention relates to a Babies feeding/drinking bottle.

A conventional Baby feeding/drinking bottle comprises a bottle, a teat and a top, which has a hole in it. The top attaches to the bottle letting part of the teat protrude through the hole in the top, yet sandwiching the wider bottom part of the teat between the bottle and itself, thus creating an air tight seal. In this conventional baby feeding/drinking bottle the only opening is on the teat, which allows the contents to come out and lets the air in when there is a vacuum in the bottle.

A baby feeding/drinking from a conventional bottle creates a bit more vacuum in the bottle with every sucking action. Occasionally the baby has to stop sucking to let the air in the bottle.

According to the present invention there is provided a babies feeding/drinking bottle fitted with a valve for air inlet into the bottle. As the baby sucks and creates a vacuum the valve will simultaneously let air in the bottle thus eliminating the vacuum and providing a consistent flow of the contents.

This valve could be placed on any component 1,2,3 Fig. 1 of the feeding/drinking bottle or any attachments made for these components. The valve can be a separate part which can be put on or taken off, it can be fixed on permanently or it can be formed together with any one of these components or any attachments made for these components

A specific embodiment of the invention will now be described by way of example with reference to the accompanying drawing in which:-

Figure 1 shows the valve 4 placed on the bottle 1. The valve can be placed any where on the bottle.

Figure 2 shows the valve 4 placed on the 'top' 2 which secures the teat in place. The valve can be placed any where on the 'top'

Figure 3 shows the valve 4 placed on the teat 3. the valve can be placed any where on the teat.

* From here on 'BABIES FEEDING/DRINKING BOTTLE' means not just the bottle itself but all the components that are put together to make it usable to feed a baby. See 5 Fig 1,

CLAIMS

- 1— A babies feeding/drinking bottle fitted with a valve for air inlet in to the bottle. As the baby sucks and creates a vacuum the valve will simultaneously let air in the bottle thus eliminating the vacuum and providing a consistent flow of the contents.
- 2— A babies feeding/drinking bottle as claimed in claim 1, the valve 4 is placed on the bottle 1 Fig 1.
- 3— A babies feeding/drinking bottle as claimed in claim 1, the valve 4 is placed on the 'top' 2, which secures the teat in place. Fig 2
- 4— A babies feeding/drinking bottle as claimed in claim 1, the valve 4 is placed on the teat 3 Fig. 3
- 5— A babies feeding/drinking bottle as claimed in claim 1, the valve 4 can be placed on an attachment which may be made for any of the components 1, 2 and 3.
- 6— A babies feeding/drinking bottle as claimed in claims 1,2,3,4 & 5 the valve 4 can be taken on or off or it can be permanently fixed or it can be formed together with any of the components 1,2 or 3 or any attachments that may be made for them.
- 7— A babies feeding/drinking bottle as claimed in claims 1,2,3,4,5 & 6 the valve 4 can be placed any where on the components 1,2 & 3 and / or any attachments that may be made for them.

Patents Act 1977
Examiner's report to the Comptroller under
Section 17 (The Search Report)

Application number

GB 9220804.0

3

Relevant Technical fields

(i) UK CI (Edition K) B8T (TWG)

(ii) Int CI (Edition 5) A61J 9/04, 11/02

Search Examiner

LINDA HARDEN

Databases (see over)

(i) UK Patent Office

(ii)

Date of Search

5.11.92

Documents considered relevant following a search in respect of claims 1-7

Category (see over)	Identity of document and relevant passages	Relevant to claim(s)
X	GB 2250017 A (F SEPEHR) see entire document	1-7
X	GB 1250518 (W J PRITCHARD) see Figure 1	1,3,5, 6,7
X	US 4828126 (VINCINGUERRA) see in particular Figure 2 and page 1 lines 11-16	1,2,5, 6,7
X	US 4730744 (VINCINGUERRA) see Figure 1	1,2,5, 6,7
X	US 4505398 (KESSELRING) see vent 8 of Figures 1, 3-5	1,4,5, 6,7
X	US 4311245 (C MAFFEI) see page 2 line 24 to page 3 line 25	1,2,5, 6,7

Category	Identify document and relevant passages H	Relevant to claim(s)

Categories of documents

X: Document indicating lack of novelty or of inventive step.

Y: Document indicating lack of inventive step if combined with one or more other documents of the same category.

A: Document indicating technological background and/or state of the art.

P: Document published on or after the declared priority date but before the filing date of the present application.

E: Patent document published on or after, but with priority date earlier than, the filing date of the present application.

&: Member of the same patent family, corresponding document.

Databases: The UK Patent Office database comprises classified collections of GB, EP, WO and US patent specifications as outlined periodically in the Official Journal (Patents). The on-line databases considered for search are also listed periodically in the Official Journal (Patents).